

**Finnleo Custom Sauna Heater Information Chart - Revised 09-11-20**

Classic Line Series	Heater Model	Min. cu. ft. Sauna Room	Max. cu. ft. Sauna Room	Watts	Vulcanite Rocks	Voltage	Phase	Amps	Minimum Wire Size from Breaker	Wire from Contactor Box to Heater	Control Type	Heater Shipping Weight	Mounting Method(s)	Contactor Box Required?	Indoor and/or Outdoor	Dimensions (W x H x D)
---------------------	--------------	-------------------------	-------------------------	-------	-----------------	---------	-------	------	--------------------------------	-----------------------------------	--------------	------------------------	--------------------	-------------------------	-----------------------	------------------------



Junior 22	45	100	2,200	25 lbs.	120	1	18.3	2 #12AWG+G	2 #12AWG+G	SaunaLogic2	25 lbs.	Wall only	Yes	Indoor only	11½ x 26 x 8
Junior 22	45	100	2,200	25 lbs.	240	1	9.2	2 #12AWG+G	2 #12AWG+G		25 lbs.	Wall only	Yes	Indoor only	11½ x 26 x 9
Junior 30	70	150	3,000	25 lbs.	120	1	25	2 #10AWG+G	2 #12AWG+G		25 lbs.	Wall only	Yes	Indoor/Outdoor	11½ x 26 x 10
Junior 30	70	150	3,000	25 lbs.	240	1	12.5	2 #12AWG+G	2 #12AWG+G		25 lbs.	Wall only	Yes	Indoor/Outdoor	11½ x 26 x 11



Designer 45B	100	210	4,500	33 lbs.	240	1	18.8	2 #10AWG+G	N/A	Built-In	32 lbs.	Wall only	No	Indoor only	16½ x 23 x 11
Designer 60B	175	310	6,000	50 lbs.	240	1	25	2 #10AWG+G			33 lbs.	Wall only	No	Indoor only	16½ x 23 x 11
Designer 80B	250	425	8,000	50 lbs.	240	1	33.3	2 #8AWG+G			35 lbs.	Wall only	No	Indoor only	16½ x 23 x 11
Designer 80B/3	250	425	8,000	50 lbs.	208	3	22.2	2 #10AWG+G			35 lbs.	Wall only	No	Indoor only	16½ x 23 x 11



Designer-Pure 45	100	210	4,500	33 lbs.	240	1	18.8	2 #10AWG+N+G	N/A	Pure 2.0	33 lbs.	Wall only	No	Indoor/Outdoor	16½ x 23 x 11
Designer-Pure 60	175	310	6,000	50 lbs.	240	1	25	2 #10AWG+N+G			34 lbs.	Wall only	No	Indoor/Outdoor	16½ x 23 x 11
Designer-Pure 80	250	425	8,000	50 lbs.	240	1	33.3	2 #8AWG+N+G			36 lbs.	Wall only	No	Indoor/Outdoor	16½ x 23 x 11
Designer-Pure 80/3	250	425	8,000	50 lbs.	208	3	22.2	2 #10AWG+N+G			36 lbs.	Wall only	No	Indoor/Outdoor	16½ x 23 x 11

Designer SL2 45	100	210	4,500	33 lbs.	240	1	18.8	2 #10AWG+G	2 #10AWG+G	SaunaLogic2	30 lbs.	Wall only	Yes	Yes	16½ x 23 x 11
Designer SL2 60	175	310	6,000	50 lbs.	240	1	25	2 #10AWG+G	2 #10AWG+G		31 lbs.	Wall only	Yes	Yes	16½ x 23 x 11
Designer SL2 80	250	425	8,000	50 lbs.	240	1	33.3	2 #8AWG+G	2 #8AWG+G		33 lbs.	Wall only	Yes	Yes	16½ x 23 x 11
Designer SL2 80/3	250	425	8,000	50 lbs.	208	3	22.2	3 #10AWG+G	3 #10AWG+G		33 lbs.	Wall only	Yes	Yes	16½ x 23 x 11



															Contactor Box to Heater High Limit	Contactor Box to Control	
Pro 105*	390	600	10,500	132 lbs.	240	1	43.8	4 #10AWG+N+G	4 #10AWG+G	FSC Digi VII Pure 2.0 or SL2-C	68 lbs.	Floor only	Yes	Indoor/Outdoor	20 x 29 x 19	2 #14AWG	Factory supplied
Pro 120*	510	740	12,000	132 lbs.	240	1	50	4 #10AWG+N+G	4 #10AWG+G		70 lbs.	Floor only	Yes	Indoor/Outdoor	20 x 29 x 19	2 #14AWG	Factory supplied
Pro 140*	630	950	14,400	132 lbs.	240	1	60	4 #8AWG+N+G	4 #8AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	20 x 29 x 19	2 #14AWG	Factory supplied
Pro 105/3	390	600	10,500	132 lbs.	208	3	29.2	3 #8AWG+N+G	3 #8AWG+G		68 lbs.	Floor only	Yes	Indoor/Outdoor	20 x 29 x 19	2 #14AWG	Factory supplied
Pro 120/3	510	740	12,000	132 lbs.	208	3	33.3	3 #8AWG+N+G	3 #8AWG+G		70 lbs.	Floor only	Yes	Indoor/Outdoor	20 x 29 x 19	2 #14AWG	Factory supplied
Pro 140/3	630	950	14,400	132 lbs.	208	3	40	3 #6AWG+N+G	3 #6AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	20 x 29 x 19	2 #14AWG	Factory supplied



Pure 2.0 Control  
Designer Heater  
PRO Heater



SaunaLogic2 Control  
Junior Heater  
Designer Heater



FSC Control  
PRO Heater



SaunaLogic2-C Control  
PRO Heater



Digi VII Control  
PRO Heater

## Finnleo Custom Sauna Heater Information Chart - Revised 09-11-20

Blackline Series	Heater Model	Min. cu. ft. Sauna Room	Max. cu. ft. Sauna Room	Watts	Vulcanite Rocks	Voltage	Phase	Amps	Minimum Wire Size from Breaker	Wire from Contactor Box to Heater	Control Type	Heater Shipping Weight	Mounting Method(s)	Contactor Box Required	Indoor and/or Outdoor	Dimensions (W x H x D)
------------------	--------------	-------------------------	-------------------------	-------	-----------------	---------	-------	------	--------------------------------	-----------------------------------	--------------	------------------------	--------------------	------------------------	-----------------------	------------------------

Piccolo 2.1	70	120	2,100	50 lbs	120	1	17.5	2 #12AWG+N+G	N/A	Pure 2.0	24 lbs.	Wall or Corner	No	Indoor only	11 x 31 x 9½
Piccolo 3.5	100	175	3,500	50 lbs.	240	1	14.6	2 #12AWG+N+G			24 lbs.	Wall or Corner	No	Indoor/Outdoor	11 x 31 x 9½

Himalaya 70	175	350	6,800	210 lbs.	240	1	28.3	2 #8AWG+N+G	N/A	Elite or Pure 2.0	38 lbs.	Floor only	No	Indoor/Outdoor	12 x 40½ x 15
Himalaya 70/3	175	350	6,800	210 lbs.	208	3	18.9	3 #10AWG+N+G			38 lbs.	Floor only	No	Indoor/Outdoor	12 x 40½ x 15
Himalaya 90	310	500	9,000	210 lbs.	240	1	37.5	2 #6AWG+N+G			38 lbs.	Floor only	No	Indoor/Outdoor	12 x 40½ x 15
Himalaya 90/3	310	500	9,000	210 lbs.	208	3	25	3 #8AWG+N+G			38 lbs.	Floor only	No	Indoor/Outdoor	12 x 40½ x 15

Himalaya SL2 70	175	350	6,800	210 lbs.	240	1	28.3	2 #8AWG+G	2 #8AWG+G	SaunaLogic2	33 lbs.	Floor only	Yes	Yes	12 x 40½ x 15
Himalaya SL2 70/3	175	350	6,800	210 lbs.	208	3	18.9	3 #10AWG+G	3 #10AWG+G		33 lbs.	Floor only	Yes	Yes	12 x 40½ x 15
Himalaya SL2 90	310	500	9,000	210 lbs.	240	1	37.5	2 #6AWG+G	2 #6AWG+G		34 lbs.	Floor only	Yes	Yes	12 x 40½ x 15
Himalaya SL2 90/3	310	500	9,000	210 lbs.	208	3	25	3 #8AWG+G	3 #8AWG+G		34 lbs.	Floor only	Yes	Yes	12 x 40½ x 15

Vena Pure 45	100	210	4,500	50 lbs.	240	1	18.8	2 #10AWG+N+G	N/A	Pure 2.0	35 lbs.	Floor or Wall	No	Indoor/Outdoor	17½ x 25¼ x 12
Vena Pure 60	175	310	6,000	50 lbs.	240	1	25	2 #10AWG+N+G			36 lbs.	Floor or Wall	No	Indoor/Outdoor	17½ x 25¼ x 12
Vena Pure 80	250	425	8,000	50 lbs.	240	1	33.3	2 #8AWG+N+G			37 lbs.	Floor or Wall	No	Indoor/Outdoor	17½ x 25¼ x 12
Vena Pure 80/3	250	425	8,000	50 lbs.	208	3	22.2	3 #10AWG_N+G			37 lbs.	Floor or Wall	No	Indoor/Outdoor	17½ x 25¼ x 12

Laava 105*	390	600	10,500	132 lbs.	240	1	43.8	4 #10AWG+N+G	4 #10AWG+G	Elite Pure 2.0 FSC or SL2-C	75 lbs.	Floor only	Yes	Indoor/Outdoor	22 x 35 x 22	2 #14AWG	Factory supplied
Laava 120*	510	740	12,000	132 lbs.	240	1	50	4 #10AWG+N+G	4 #10AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	22 x 35 x 22	2 #14AWG	Factory supplied
Laava 144*	630	950	14,400	132 lbs.	240	1	60	4 #8AWG+N+G	4 #8AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	22 x 35 x 22	2 #14AWG	Factory supplied
Laava 105/3	390	600	10,500	132 lbs.	208	3	29.2	3 #8AWG+N+G	3 #8AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	22 x 35 x 22	2 #14AWG	Factory supplied
Laava 120/3	510	740	12,000	132 lbs.	208	3	33.3	3 #8AWG+N+G	3 #8AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	22 x 35 x 22	2 #14AWG	Factory supplied
Laava 144/3	630	950	14,400	132 lbs.	208	3	40.1	3 #6AWG+N+G	3 #6AWG+G		75 lbs.	Floor only	Yes	Indoor/Outdoor	22 x 35 x 22	2 #14AWG	Factory supplied



**Pure 2.0 Control**  
Piccolo Heater  
Vena Heater  
Himalaya Heater  
Laava Heater



**SaunaLogic2 Control**  
Himalaya Heater



**Elite Control**  
Himalaya Heater  
Laava Heater



**SaunaLogic2-C Control**  
Laava Heater

\* NOTE: Single Phase versions require 2 circuits to the CB Box

Other wiring configurations are available for the PRO & Laava heaters. Please contact your Regional Sales Manager or Inside Sales Representative at the factory for additional information.

ADDITIONAL NOTE: "Plug-N-Play" kit saunas (G, B, & S Series IR, Hallmark, InfraSauna, and Summit Outdoor) are not included in this Heater Information Chart.

## Blackline Heaters



Himalaya



Pure 2.0



Elite



SaunaLogic2



Piccolo



Pure 2.0



Vena



Pure 2.0



Laava



Pure 2.0



Elite

## Classic Line Heaters



Junior



SaunaLogic2



Designer B



Designer



Pure 2.0



SaunaLogic2



PRO



Pure 2.0



SC



Digi